

2010 EL MIRAGE CAR MINIMUMS (AS OF JUNE 2010)

CA T	BODY	ENGIN E																	
		AA	A	B	C	D	E	F	G	H	I	J	K	XF	XO	XXF	XX O	V4	V4F
A	BFS												145		205		215	205	155
A	FS																		150
A	BGS																200	170	150
A	GS		210																145
A	DS	220	210		190	180	170	160	150	140	130	120							
A	BFL												140		210	205	210	190	145
A	FL	270	260																140
A	BGL	250													185	190	190	180	140
A	GL																		
B	BFMR													180	200		210	180	140
B	FMR	250								160									
B	BGMR	225						185									180	160	130
B	GMR																170		
B	BFRMR	260	250	240	230	220	205	190	170					180	200	210	210	180	140
B	FRMR	250	240	230	220	210	195	180						170	180	190	190	160	130
B	BGRMR	230	220	210	200	190	185	175						155	160	170	180	160	130
B	GRMR	220	210	200	190			170	160					150	155	170	170	150	125
B	BFR		240					200	180	170					180	175	190	170	
B	FR																		
B	BGR							185	175	155					165	160	170	150	
B	GR	210																	
B	BSTR								140	130					165	160	170	150	
B	STR														155	150			
B	BVFCC															160		160	115
B	VFCC																		105
B	BVGCC															160		145	105
B	VGCC															150			95
B	BVFALT													155		165		155	105
B	VFALT													140					95
B	BVGAL																		
B	T													145		150		150	95

B	VGALT																		85
B	BVGC												130		135	140	120	90	
B	VGC																	80	
B	VOT																135	120	
																			XX
		AA	A	B	C	D	E	F	G	H	I	J	K	XF	XO	XXF	O	V4	V4F
C	CBFALT	225						190											
C	CFALT	220						180											
C	CBGAL T	220				200	190	180											
C	CGALT	215						170											
C	CBGC	210					190	175											
C	CGC	205						165											
C	CPRO		200					160											
C	CPS				190		170	160											
																			XX
		AA	A	B	C	D	E	F	G	H	I	J	K	XF	XO	XXF	O	V4	V4F
D	BFCC	240	240					190		160	140	130			175	165	185		
D	FCC		235								120	115		150		160	170		
D	BGCC	220	220			200					140	125			165	160	170		
D	GCC											110			160	155			
D	BFALT										130	120			170	170	180		
D	FALT		215	210	205	200	195					100							
D	BGALT										130	100		150		155	160		
D	GALT		210		205	200	195					95							
D	BGC	215				200	195				120	105		145	155	150	160		
D	GC					195	190					90							
D	BFMS	240	235		225	220	210	185	175	165	155								
D	FMS	235	230			210	195	170	155	130	115								
D	BGMS						200		160	140	120								
D	GMS	220	215																
D	BMP	200	195	190	185	180	170							130	130	145	145		
D	MP	185					140							110	115	120	120		
D	BMMP				200	195	190			130	115								
D	MMP								120		100								
																			XX
		AA	A	B	C	D	E	F	G	H	I	J	K	XF	XO	XXF	O	V4	V4F
E	PRO	215	210	205	200		180									130			

